

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 04 1999

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 06 1986 under 50083

The applicant Robert L. Voyles and Paula C. Voyles, APN 125-11-803-017; and Wendy Guan Bikle, APN 125-11-803-016, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is underground source - map on file Permit No. 50083
2. The amount of water applied for is 0.02 CFS second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for Quasi-Municipal use to serve two homes
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks") two homes
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point within the SE1/4 of the SE1/4 of Section 11, T.19S., R.60E., M.D.B.&M., or at a point from which the Southeast Section corner of said Section 11 bears South 14° 29' 42" East a distance of 910.63 feet., being more particularly described as follows: Lot Two as shown by map thereof on file in File 51 of Parcel Maps, Page 97, recorded as Instrument Number 00666, in the Office of the County Recorder of the County Recorder of Clark County, Nevada. APN 125-11-803-017
6. Place of Use within the SE1/4 of the SE1/4 of Section 11, Township 19 South, Range 60 East, M.D.B.&M., approximately one and one quarter (1¼) acres. APN 125-11-803-017 and APN 125-11-803-016
7. Use will begin about January 1st and end about December 31st of each year.
8. Description of proposed works well, pump, electric motor, domestic water lines from two houses to 1500 gallon water storage tank.
9. Estimated cost of works N/A
10. Estimated time required to construct works N/A
11. Estimated time required to complete the application of water to beneficial use N/A

65179

12. Remarks: 0.73 million gallons annually Replace Cancelled Permit No. 50083; See 50083 file for point of diversion and place of use map. The water will be used on two lots of a two lot minor subdivision.

By Robert L. Voyles/Paula C. Voyles
s/ Robert L. Voyles Paula C. Voyles 6/1/99
6100 Ackerman Avenue
Las Vegas, NV 89131

Compared gkl/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 65179 provides water service to two lots described by Clark County Assessor's Parcel Numbers (APN's) 125-11-803-016 and 125-11-803-017.

This permit is issued subject to the State Engineer's Amended Order 1054 dated April 15, 1992.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.02 cubic feet per second, **but not to exceed 0.73 million gallons annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

December 6, 2001

Proof of completion of work shall be filed before:

January 6, 2002

Water must be placed to beneficial use on or before:

December 6, 2004

Proof of the application of water to beneficial use shall be filed on or before:

January 6, 2005

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 6th day of December A.D. 1999


State Engineer

JUL 11 2001

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____